



QUICK SHIP  
DOOR PROGRAM

# QUICK SHIP DOOR PROGRAM

**Thickness:** 1-3/8" or 1-3/4"

**Width:** (Std. stile & rail dimensions. Bi-folds included.)  
Any width up to 3'0"

**Height:** Any height up to 8'0"

**Species:** Alder, Knotty Alder, Cherry, Knotty Pine, White Pine, Poplar, Maple, KW Mahogany, Red Oak, White Oak, Walnut

**Hardware:** Any stock hinge, ball catch, or flush bolt in our wide selection of standard hardware finishes.

**Machining:** Standard 2 1/8" bore with 2 3/8" or 2 3/4" backset. T-Astragals, weatherstrip and sills are also available. *See back page for jamb and hardware options.*


**Quantities:** Maximum of 50 doors total, per order

**Lead Time:** 10 production days (slab or pre-hung)


**NOTE:** Due to expedited lead time, once order is placed, cancellations and/or changes cannot be accepted.




## INTERIOR PANEL DOORS




KW1000\*  
Flat Panel Only




KW2000




KW2100




KW3000




KW3003\*  
Flat Panel Only




KW3060\*  
Flat Panel Only




KW4000




KW5000




KW5020



KW6000



KW6040




KW8000


\*Only available with D13-403 or D23-403 rail and panel options.

## 1 3/8" RAIL & PANEL COMBINATIONS

Images are shown at 25% of size.




B11-241 - 1" panel




D13-403, 1/2" flat panel

## 1 3/4" RAIL & PANEL COMBINATIONS

Images are shown at 25% of size.




B21-241 - 1" panel




D23-403, 1/2" flat panel

# QUICK SHIP DOOR PROGRAM


## INTERIOR LITED DOORS




G01000




G01010




G01023\*  
Flat Panel Only



G05000



G10000



G15000

## GLASS OPTIONS

Lited doors are available with standard clear tempered glass or opal (frosted glass).




Clear



Opal (Frosted)

## 1 3/8" RAIL & GLASS COMBINATIONS

Images are shown at 25% of size.



B1G - 1-3/8" with 1/4" glass

## AVAILABLE SPECIES




Alder




Knotty Alder



Cherry



Knotty Pine



KW Mahogany



Hard Maple



White Pine



Poplar



Red Oak



White Oak




Walnut

Photography does not represent all of the natural variation in grain and color that will occur in the production of a complete door package.

## 1 3/4" RAIL & GLASS COMBINATIONS

Images are shown at 25% of size.



B2G - 1-3/4" with 1/4" glass

# OPTIONS

## HARDWARE

All Koetter pre-hung units come standard with bright brass, 5/8" radius corner hinges. Coordinating ball catches and flush bolts also available. See Koetter Woodworking's Door Catalog for more details. Hinge images shown are for finish reference only. Finish colors shown may vary due to the translation and reproduction limitations of photography.

### RESIDENTIAL HINGES

RC = Radius Corner, RCBB = Radius Corner, Ball Bearing, RSC = Square Corner, RSCBB = Square Corner, Ball Bearing



Antique Brass

HIN RC3.5-US5 (3-1/2")  
HIN RC4.0-US5 (4")



Antique Nickel

HIN RC3.5-US15A (3-1/2")  
HIN RC4.0-US15A (4")



Bright Brass

HIN RC3.5-US3 (3-1/2")  
HIN RCBB3.5-US3 (3-1/2")  
HIN RC4.0-US3 (4")  
HIN RCBB4.0-US3 (4")



Bright Chrome

HIN RC3.5-US26 (3-1/2")  
HIN RC4.0-US26 (4")



Flat Black

HIN RC3.5-US19 (3-1/2")  
HIN RC4.0-US19 (4")



Oil Rubbed Bronze

HIN RC3.5-US10B (3-1/2")  
HIN RSC3.5-US10B (3-1/2")  
HIN RCBB3.5-US10B (3-1/2")  
HIN RSCBB3.5-US10B (3-1/2")  
HIN RC4.0-US10B (4")  
HIN RCBB4.0-US10B (4")



Primed

HIN RC3.5-USP (3-1/2")  
HIN RC4.0-USP (4")



Satin Brass

HIN RC3.5-US4 (3-1/2")  
HIN RC4.0-US4 (4")



Satin Chrome

HIN RC3.5-US26D (3-1/2")  
HIN RC4.0-US26D (4")



Satin Nickel

HIN RC3.5-US15 (3-1/2")  
HIN RCBB3.5-US15 (3-1/2")  
HIN RC4.0-US15 (4")  
HIN RCBB4.0-US15 (4")

### ARCHITECTURAL HINGES

ASC = Square Corner, ASCBB = Square Corner, Ball Bearing,



Bright Brass Finish

HIN ASC3.5-US3 (3-1/2")  
HIN ASC4.0-US3 (4")  
HIN ASCBB4.5-US3 (4-1/2")



Oil Rubbed Bronze

HIN ASC4.0-US10B (4")  
HIN ASCBB4.5-US10B (4-1/2")



Primed

HIN ASC4.0-USP (4")



Satin Nickel


HIN ASC4.0-US15 (4")  
HIN ASCBB4.5-US15 (4-1/2")




Flat Black

HIN ASCBB4.5-US19 (4-1/2")


### JAMB & HANG OPTIONS




Double Rabbeted Jamb




Jamb with 1640-STOP



Exterior Jamb, kerfed with weatherstrip



Jamb with 1644-KW-STOP



Double Rabbeted Jamb, kerfed with weatherstrip

All jamb options shown are available in 11 featured species. Stock jams are also available in Poplar, Red Oak, and primed finger joint Poplar.

In addition, any stock weatherstrip, or adjustable sill and sweep is available to complete the unit.



Koetter Woodworking, Inc.

(812) 923-8875

800-411-8285 toll free fax

[www.koetterwoodworking.com](http://www.koetterwoodworking.com)